



# Installation Instructions

<p><b>License Plate Light Bracket</b></p> <p><b>PN: RTEK-100239</b></p>	
<p><b>Suggested tools</b></p>	<ul style="list-style-type: none"><li>• Hand tools</li></ul>
<p><b>Safety Warnings</b></p>	<ul style="list-style-type: none"><li>• Always support the vehicle with jack stands before working underneath</li><li>• Use only the parts supplied by RalliTEK to install this kit</li><li>• Check ALL the fasteners for tightness before and after road testing the vehicle</li><li>• Do not use an air impact wrench with re-installing bolts as stripped threads may occur</li></ul>

## RalliTEK LICENSE PLATE LIGHT MOUNT

1. Remove your license plate and using the supplied hardware, install the lower screws while making sure the upper holes are still aligned with the upper mounts



2. Install your license plate and RalliTEK license plate frame using the remaining 2 screws in the kit.



## WIRING THE LIGHTS

1. Remove the center trim piece at the top of the rear window by gently pulling straight off



2. Remove the trim pieces on the sides of the rear window



3. Some models may have a clip that holds the rear panel on, remove that at this time and gently pull straight off the hatch, it helps to start at one corner and work your way over to the other side



4. Remove the 4 nuts that hold the rear exterior trim piece to the hatch (2 are easy to see and the other 2 can be accessed through holes in the inner structure), unplug the wire harness and pull straight out on the trim piece to remove



5. Route the light wire harness through the hatch, I used the same grommet that the reverse camera wires go through

6. If your lights are in the hatch, locate the reverse light harness, trim the plastic wire protector back approximately 1.5" and cut the wires going to the bulb. Be sure to leave enough wire to reconnect to! If your lights are not in the hatch, you will need to run the wires in such a way that you can connect to the reverse light wires.

7. On our car, the white wire is the 12V power wire and the black wire is the ground, verify this before you hook the lights up. Splice the red wire from the light to the 12V power wire and the black wire from the lights to the ground wire.



8. Verify the lights come on when the car is in reverse and put the car back together in the reverse order that you removed everything.



## WARRANTY

### One Year Limited Warranty

**RalliTEK** warrants to the original purchaser that the parts manufactured and/or sold by RalliTEK (the Product) is free from defects in material and workmanship under normal use. RalliTEK warrants that the Product will perform substantially in accordance with the specifications set forth in the documentation provided with it. The above express warranties are made for a period of the lesser of 12,000 miles or 12 months from the date the Product is installed in your vehicle.

Any improper use, operation beyond capacity, substitution of parts not approved by **RalliTEK** in writing, any alteration or repair by others, or any removal, defacing or altering of the identification shall void this warranty. There is no warranty on high-performance or race related parts due to the nature of usage.

The purchaser shall notify **RalliTEK** at 888-773-1212 of any defect within the warranty period no later than thirty (30) days after purchaser discovers the defect. Should any failure to conform to this warranty appear within the warranty period, RalliTEK shall, on notification, correct the nonconformity at its option, either by repairing any defective part, or by making available, FOB RalliTEK plant, a repaired or replacement part. The purchaser must insure any defective item being returned because RalliTEK does not assume risk of loss or damage while in transit. No payment or reimbursement shall be made for installation, removal, transportation or other charges. The remedies set forth in this instrument are exclusive, and the liability of RalliTEK with respect to any sale shall not exceed the price of the product on which the liability is based.

EXCEPT AS STATED OTHERWISE IN THIS WARRANTY, **RalliTEK** MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. RalliTEK shall not in any case be liable for special, incidental, consequential, indirect, or other similar damages arising from any breach of these warranties even if RalliTEK or its agent has been advised of the possibility of such damages. Some states do not allow the exclusion or limitation of incidental or consequential damages so the above limitation or exclusion may not apply to you.

This warranty is governed by the laws of the State of Oregon.

